

Legal Advertisement

Legal Advertisement

IN THE CIRCUIT COURT OF DODDRIDGE COUNTY, WEST VIRGINIA

In the matter of: THE PETITION OF MICHAEL JOSEPH MORLOCK, and BEVERLY MICHELE MORLOCK, FOR THE ADOPTION OF L. L., AN INFANT FEMALE, UNDER THE AGE OF TWELVE. CIVIL ACTION NO: 21 - A - 5

NOTICE OF PUBLICATION

Notice to John Franklin Longanetta of the above baby girl, L. L. born on or about 01/27/2015 in United Hospital Center, Bridgeport, Harrison County, West Virginia. Notice is hereby given that a verified Petition of Adoption was filed in Doddridge County Circuit Court on said child, which will request that the father's parental rights be terminated. You are notified your rights may be terminated in the proceeding and any such person may appear and defend any such rights within thirty (30) days from the first publication of this notice.

Michelle Britton
Doddridge County Circuit Clerk
118 East Court Street
West Union, WV 26456

Adoption Attorney for Petitioners:

Robert T. Noone, Esq.
Adoption Attorney
PO Box 1050
Logan, WV 25601
3/24x2

Public Notice

All early voting for the Municipal Town of West Union election will be held at the Town Hall office during office Hours-May 26th-28th - 8:30 AM to 1PM and 2 PM to 4PM. Saturday May 29th 9 AM to 5PM May 31st to June 4th- 8:30 AM to 1PM and 2 PM to 4PM and Saturday June 5th-9 AM to 5 PM.

Election Day June 8th- 6:30 AM to 7:30 PM - At the Lions Club Building - Persons whom would normally Vote at the Old West Union Grade School will be voting at the Lions Club Building for the 2021 Municipal Election on June 8th, 2021. If you have any question please call Town Hall 304-873-1400.
3/24x 2

Doddridge County Floodplain Permits (Week of March 22, 2021)

Please take notice that on the (22nd) of (March), 2021, (Jerry Braun) filed an application for a Floodplain Permit (#21-592) to develop land located at or about (9699 WV Route 23N); Coordinates : 39.399242, -80.646314. The Application is on file with the Floodplain Manager of the County and may be inspected or copied during regular business hours in accordance to WV Code Chapter 29B Freedom of Information, Article 1 Public Records and county policy and procedures.

3/24X2XB

FISCAL YEAR JULY 1, 2021 – JUNE 30, 2022 LEVY ESTIMATE – BUDGET DOCUMENT

STATE OF WEST VIRGINIA
MUNICIPALITY OF SALEM, WEST VIRGINIA

In accordance with Code § 11-8-14, as amended, the Council proceeded to make an estimate of the amounts necessary to be raised by levy of taxes for the current fiscal year, and does determine and estimate the several amounts to be as follows:

The amount due and the amount that will become due and collectible from every source during the fiscal year INCLUDING THE LEVY OF TAXES, is as follows:

Table with columns: REVENUE SOURCE, Amount, and Total. Includes items like Nonspendable Fund Balance, Property Taxes, Gas & Oil Severance Tax, etc.

COAL SEVERANCE TAX FUND

Table with columns: REVENUE SOURCE, Amount, and Total. Includes Assigned Fund Balance, Coal Severance Tax, Interest Earned on Investment.

ESTIMATED CURRENT EXPENDITURES

Table with columns: Mayor's Office, City Council, City Manager's Office, etc. Includes various municipal expenses.

MUNICIPALITY OF SALEM, WEST VIRGINIA Regular Current Expense Levy FISCAL YEAR JULY 1, 2021 - JUNE 30, 2022

Table with columns: Certificate of Valuation Assessed Value for Tax Purposes, Levy Rate/\$100, Taxes Levied. Lists Class I, II, IV with property values and taxes.

Table with columns: Less Delinquencies, Exonerations & Uncollectable Taxes, Less Tax Discounts, Less Allowance for Tax Increment Financing.

Total Projected Property Tax Collection \$ 122,419

Less Assessor Valuation Fund (Subtracted from regular current expense taxes levied only) 2.00% \$ 2,448

Net Amount to be Raised by Levy of Property Taxes \$ 119,971

STATE OF WEST VIRGINIA

COUNTY OF HARRISON

MUNICIPALITY OF SALEM

I, Kayla Nicholas, Recording Officer of said municipality, do hereby certify that the foregoing are true copies from the record of the orders made and entered by the council of the said municipality on the 23rd day of March, 2021.

KAYLA NICHOLAS (Signature)

CITY CLERK (Official Title of Recording Officer)

THE HERALD RECORD

Legal Advertisement

TOWN OF WEST UNION WV3309901 Consumer Confidence Report – 2021 Covering Calendar Year – 2020

This brochure is a snapshot of the quality of the water that we provided last year. Included are the details about where your water comes from, what it contains, and how it compares to Environmental Protection Agency (EPA) and state standards.

Your water comes from :

Table with columns: Source Name, Source Water Type, Buyer Name, Seller Name. Includes MIDDLE ISLAND CREEK, Surface Water.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as those with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

The sources of drinking water (both tap water and bottled water) included rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in sources water before we treat it include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, livestock operations and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.

Pesticides and herbicides, which may come from a variety of sources such as storm water run-off, agriculture, and residential uses.

Radioactive contaminants, which can be naturally occurring or the result of mining activity.

Organic contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and also come from gas stations, urban storm water run-off, and septic systems.

In order to ensure that tap water is safe to drink, EPA prescribes regulation which limits the amount of certain contaminants in water provided by public water systems.

March 31, 2021

Legal Advertisement

We treat our water according to EPA's regulations. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Our water system has an estimated population of 1895 and is required to test a minimum of 2 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. Coliform bacteria are usually harmless, but their presence in water can be an indication of disease-causing bacteria.

Water Quality Data

The following tables list all of the drinking water contaminants which were detected during the 2020 calendar year. The presence of these contaminants does not necessarily indicate the water poses a health risk.

Terms & Abbreviations

Maximum Contaminant Level Goal (MCLG): the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL): the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Secondary Maximum Contaminant Level (SMCL): recommended level for a contaminant that is not regulated and has no MCL.

Action Level (AL): the concentration of a contaminant that, if exceeded, triggers treatment or other requirements.

Treatment Technique (TT): a required process intended to reduce levels of a contaminant in drinking water.

Maximum Residual Disinfectant Level (MRDL): the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Non-Detects (ND): lab analysis indicates that the contaminant is not present.

Parts per Million (ppm) or milligrams per liter (mg/l)

Parts per Billion (ppb) or micrograms per liter (µg/l)

Picocuries per Liter (pCi/L): a measure of the radioactivity in water.

Millirems per Year (mrem/yr): measure of radiation absorbed by the body.

Monitoring Period Average (MPA): An average of sample results obtained during a defined time frame, common examples of monitoring periods are monthly, quarterly and yearly.

Nephelometric Turbidity Unit (NTU): a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Running Annual Average (RAA): an average of sample results obtained over the most current 12 months and used to determine compliance with MCLs.

Locational Running Annual Average (LRAA): Average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.

Testing Results for: TOWN OF WEST UNION

Table with columns: Microbiological, Result, MCL, MCLG, Typical Source. Shows No Detected Results were Found in the Calendar of 2020.

Table with columns: Regulated Contaminants, Collection Date, Highest Value, Range (HI/LO), Unit, MCL, MCLG, Typical Source. Lists BARIUM, FLOURIDE, NITRATE, NITRATE-NITRITE, NITRITE.

Table with columns: Disinfection Byproducts, Sample Point, Monitoring Period, Highest LRAA, Range (low/high), Unit, MCL, MCLG, Typical Source. Lists TOTAL HALOACETIC ACIDS (HAAS), TTHM.

Table with columns: Lead and Copper, Monitoring Period, 90th Percentile, Range (low/high), Unit, AL, Sites Over AL, Typical Source. Lists COPPER, FREE, LEAD.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing.

Table with columns: Chlorine/Chloramines, Maximum Disinfection Level, MPA, MPA Units, RAA, RAA Units. Lists 11/01/2020 - 11/30/2020, 1.4, MG/L, 1.0, MG/L.

Table with columns: Unresolved Deficiency Date Identified, Facility, Comments. Lists WATER SYSTEM, DISTRIBUTION SYSTEM, STORAGE TANK SMITHBURG.

Table with columns: Total Organic Carbon, Collection Date, Highest Value, Range, Unit, TT, Typical Source. Lists CARBON, TOTAL, 6/4/2020, 2, 0.9 - 2, MG/L, 0, Naturally present in the environment.

Table with columns: Analyte, Facility, Highest Value, Unit of Measure, Month Occurred. Shows No Detected Results were Found in the Calendar Year of 2020.

Legal Advertisement

Legal Advertisement

Town of West Union Can't from Page 7

Table with columns: Radiological Contaminants, Collection Date, Highest Value, Range (low/high), Unit, MCL, MCLG, Typical Source. Lists COMBINED RADIUM, GROSS ALPHA, EXCL. RADON & U, GROSS BETA PARTICLE ACTIVITY.

Table with columns: Secondary Contaminants-Non Health Based Contaminants-No Federal Maximum Contaminant Level (MCL) Established, Collection Date, Highest Value, Range (low/high), Unit, SMCL. Lists CARBON, TOTAL, NICKEL, SODIUM, SULFATE.

During the 2020 calendar year, we had the below noted violation(s) of drinking water regulations.

Table with columns: Compliance Period, Analyte, Comments. Shows No Violations Occurred in the year of 2020.

Additional Required Health Effects Language:

Infants and children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing.

Some people who drink water containing haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.

There are no additional required health effects violation notices.

Table with columns: Water System, Type, Category, Analyte, Compliance Period. Shows No Violations Occurred in the Calendar Year of 2020.

There are no additional required health effects violation notices.

Table with columns: Town of West Union water violation, Type, Violation Number, Analyte, Compliance Period, Explanation of violation, Steps taken to correct violations, Health effects. Lists Failure to Complete Corrective Actions.

There are no additional required health effects violation notices.

Your CCR is available at Town hall 178 Court Street West Union. To receive a paper copy in the mail, please contact us at the phone number 304-873-1400.

IN THE UNITED STATES DISTRICT COURT FOR THE NORTHERN DISTRICT OF WEST VIRGINIA Clarksburg Division

Legal case filing form with fields for Plaintiff, Defendant, and Case No. 1:19-cv-182 (MK). Includes Dominion Energy Transmission, Inc. v. 0.11 ACRE, MORE OR LESS, IN DODDRIDGE COUNTY, WEST VIRGINIA, et al.,.

NOTICE OF FILING OF ORDER

To: Anthony Lake and any Unknown Owners who may own an interest in that certain tract of land described as Parcel Identification No. 09-04-10-0032-0001-0000, composed of 19.04 acres, more or less, located in Doddridge County, West Virginia and being more particularly described in General Warranty Deed in Book 320, Page 80, of the public records of said County.

PLEASE TAKE NOTICE that on March 23, 2021, the United States District Court for the Northern District of West Virginia in the above-captioned matter entered the following Order [Dkt. No. 44].

Based on the cash deposit already in the registry of the Clerk in this matter, the Court FINDS that security necessary "to pay the costs and damages sustained by any party found to have been wrongfully enjoined or restrained." Fed. R. Civ. P. 65(c). Furthermore, the Court FINDS that, as of March 31, 2021, the amount of \$85.15 would be the amount of just compensation plus pre- and post judgment interest owed to the remaining defendants.

Accordingly, for good cause shown, the Court GRANTS the Plaintiff's Motion Regarding Payment of Just Compensation and Release of Excess Cash Deposit. Furthermore, the Court ORDERS that the amount of \$85.15 remain in the registry of the Court as payment of just compensation, plus pre- and post judgment interest in this matter.

It is so ORDERED. The Court DIRECTS the Clerk of the Court to deliver the cash deposit as set forth above to Counsel for Plaintiff, William J. O'Brien, Esquire, at Steptoe & Johnson PLLC, 400 White Oaks Boulevard, Bridgeport, West Virginia 26330. It further DIRECTS counsel to provide copies of this Order to the Defendants and file proof of service with the Court.

ENTERED this 23rd day of March 2021.

/s/ Irene M. Keeley IRENE M. KEELEY UNITED STATES DISTRICT JUDGE

By counsel for Dominion Energy Transmission, Inc., f/k/a Dominion Transmission, Inc., now known as Eastern Gas Transmission and Storage, Inc.: William J. O'Brien (WV Bar #10549), Steptoe & Johnson PLLC, william.obrien@step-toe-johnson.com, 400 White Oaks Boulevard, Bridgeport, West Virginia 26330, (304) 933-8000, Lauren K. Turner (WV Bar #11942), Steptoe & Johnson PLLC, lauren.turner@step-toe-johnson.com, 400 White Oaks Boulevard, Bridgeport, West Virginia 26330, (304) 933-8000; and Brooks Spears (WV Bar #12820), McGuireWoods LLP, bspears@mcguirewoods.com, 1750 Tysons Boulevard, Suite 1800, Tysons, Virginia 22102, (304) (703) 712-5000.

3/31xb3

ADVERTISEMENT FOR BIDS DODDRIDGE COUNTY COMMISSION LAWN MAINTENANCE AT 1117 WV RT. 18 N. SHERIFF'S OFFICE (OLD WEST UNION GRADE SCHOOL)

Sealed bids for the Sheriff's office lawn maintenance will be received by the Doddridge County Commission, until 3 p.m., local time on April 19, 2021, and then publicly opened and read aloud by the Doddridge County Commission with the winning bid awarded at the meeting on April 20, 2021 at 6:00 p.m.

This will include grass mowing, weed eating and trimming and leaf removal in fall. Lawn is to be mowed as needed, once a week during summer growing season and every other week in fall season.

Question and contact information David King, Clerk of Works at 304-873-2705 or Randeé Britton, Commission Executive Assistant at 304-873-1373, offices located at the Doddridge County Annex, 101 Church Street, Suite 103, West Union, WV 26456. There will be no charge for contract documents, including technical specifications.

Bids shall be submitted to the attention of the Doddridge County Commission, 101 Church Street, Suite 103, West Union, WV 26456. No bid shall be accepted without the West Virginia Contractor's License Number submitted with the bid.

Bidders on this work shall be required to comply with the President's Executive Order No. 11246 which prohibits discrimination in employment regarding race, creed, color, sex, national origin, or physical disability, and bidders shall also comply with Title VI of the Civil Rights Act of 1964, the Anti-Kickback Act, and the Contract Work Hours Standards Act.

Any Contractor submitting a bid on this project hereby certifies, indicates, and acknowledges that he/she holds a current WV Contractor's License on the date of the bid opening, and meets all the qualifications required by the statutes of the State and subdivision in which the work is to be performed and acknowledges the guidelines of all applicable State and Federal Regulations.

The Doddridge County Commission reserves the right to reject any or all bids and to waive any informality therein.

3/31xb2