

**SCHEDULE OF PROPOSED LEVY RATES ROANE COUNTY BOARD OF EDUCATION
For the Fiscal Year Ended June 30, 2022**

The following is a true copy from the record of orders entered by ROANE COUNTY BOARD OF EDUCATION on the 25th day of March 2021.

Column E	Current Expense Levy		Excess Levy		Permanent Improvement		Bond Levy		
	Certificate of Valuation Assessed Value for Tax Purposes	Levy Rate/\$100	Taxes Levied	Levy Rate/\$100	Taxes Levied	Levy Rate/\$100	Taxes Levied	Levy Rate/\$100	Taxes Levied
Class I									
Personal Property	\$ - 0	19.40	\$ - 0	-00	\$ - 0	-00	\$ - 0	4.62	\$ - 0
Public Utilities	- 0		- 0		- 0		- 0		- 0
Total Class I	- 0		- 0		- 0		- 0		- 0
Class II									
Real Estate	303,586,600	38.80	1,177,916	-00	- 0	-00	- 0	9.24	280,514
Personal Property	3,158,730		12,256		- 0		- 0		2,919
Total Class II	306,745,330		1,190,172		- 0		- 0		283,433
Class III									
Real Estate	80,180,130	77.60	622,198	-00	- 0	-00	- 0	18.48	148,173
Personal Property	61,045,569		473,714		- 0		- 0		112,812
Public Utilities	121,479,971		942,685		- 0		- 0		224,495
Total Class III	262,705,670		2,038,597		- 0		- 0		485,480
Class IV									
Real Estate	29,034,120	77.60	225,305	-00	- 0	-00	- 0	18.48	53,655
Personal Property	18,923,047		146,843		- 0		- 0		34,970
Public Utilities	5,702,072		44,248		- 0		- 0		10,537
Total Class IV	53,659,239		416,396		- 0		- 0		99,162
Total Assessed Valuation and Projected Gross Tax Collections	\$ 623,110,239		\$ 3,645,165		\$ - 0		\$ - 0		\$ 868,075
Less Allowance for Uncollectibles, Exonerations and Delinquencies		2.50%	(91,129)	2.50%	- 0	2.50%	- 0	9.09%	78,900
Less Allowance for Tax Discounts		1.50%	(53,311)	1.50%	- 0	1.50%	- 0		
Less Allowance for Tax Increment Financing - see worksheet (Subtracted from regular current expense tax levy only)			- 0				- 0		
Net Projected Tax Collections, before allowance for Assessor's Valuation Fund			3,500,725						
Less - Allowance for Assessor's Valuation Fund (Subtracted from regular current expense tax levy only)		2.00%	(70,015)				- 0		- 0
Projected Net Taxes to be Collected			\$ 3,430,710		\$ - 0		\$ - 0		\$ 789,175
									\$ 3,430,710

Note: Copies of all approved excess and/or bond levy orders and certified copies of the canvass of votes must be on file with the State Auditor's Office and the State Department of Education before excess or bond levy rates can be approved.
Signed this 25th day of March, 2021
by Richard D. Duncan
SECRETARY OF THE BOARD OF EDUCATION

2t 4/1-8/20 B

**ROANE COUNTY, WEST VIRGINIA
LEVY PAGE
REGULAR CURRENT EXPENSE LEVY
2021 - 2022**

Column E	Certificate of Valuation Assessed Value for Tax Purposes	Levy Rate/\$100	Taxes Levied
Current Year			
Class I			
Personal Property	\$ _____	14.00	\$ _____ 0
Public Utility	0		0
Total Class I	\$ _____ 0		\$ _____ 0
Class II			
Real Estate	\$ _____ 303,586,600	28.00	\$ _____ 850,042
Personal Property	3,158,730		8,844
Total Class II	\$ _____ 306,745,330		\$ _____ 858,887
Class III			
Real Estate	\$ _____ 80,180,130	56.00	\$ _____ 449,009
Personal Property	61,045,569		341,855
Public Utility	121,479,971		680,288
Total Class III	\$ _____ 262,705,670		\$ _____ 1,471,152

Class IV			
Real Estate	\$ _____ 29,034,120	56.00	\$ _____ 162,591
Personal Property	18,923,047		105,969
Public Utility	5,702,072		31,932
Total Class IV	\$ _____ 53,659,239		\$ _____ 300,492
Total Value & Projected Revenue	\$ _____ 623,110,239		\$ _____ 2,630,530
Less Delinquencies, Exonerations & Uncollectable Taxes		2.00%	52,611
Less Tax Discounts		2.00%	51,558
Less Allowance for Tax Increment Financing - see worksheet (Subtracted from regular current expense taxes levied only)			0
Total Projected Property Tax Collection			2,526,361
Less Assessor Valuation Fund (Subtracted from regular current expense taxes levied only)		2.00%	50,527
Net Amount to be Raised by Levy of Property Taxes For Budget Purposes (Transfer amount to Worksheet GCRev - Account No. 301-01)			\$ _____ 2,475,834

2t 4/8-15/21 B

Notice of Administration to Creditors

Notice is hereby given that the following estate(s) have been opened for probate in the ROANE County Clerk's Office at 200 MAIN STREET, SPENCER, WV 25276-1411. Any person seeking to impeach or establish a will must make a complaint in accordance with the provisions of West Virginia Code 41-5-11 through 13. Any interested person objecting to the qualifications of the personal representative or the venue or jurisdiction of the court, shall file notice of an objection with the County Commission within 60 days after the date of the first publication or within 30 days of the service of the notice, whichever is later. If an objection is not filed timely, the objection is forever barred. Any person interested in filing claims against an estate must file them in accordance with West Virginia Code 44-2 or 44-3. Settlement of the estate(s) of the following named decedent(s) will proceed without reference to a fiduciary commissioner unless within 60 days from the first publication of this notice a reference is requested by a party of interest or an unpaid creditor files a claim and good cause is shown to support reference to a fiduciary commissioner.

Publication Date: Friday, April 2, 2021

Claim Deadline: Tuesday, June 1, 2021

- Appointment Date: 03/18/2021
Estate Name: John Ray Ashley
Executrix: Barbara S Ashley
5626 Parkersburg Road
Reedy WV 25270-9338
- Appointment Date: 03/24/2021
Estate Name: Freda A Depue
Executrix: Robert Depue Jr
109 Water Street
Spencer WV 25276-1728
- Appointment Date: 03/09/2021
Estate Name: Emma Lou Ellis
Co Administrator: Jerry Ellis
30 Cox Fork
Gandeeville WV 25243-8750
Co Administratrix Joyce Ellis
30 Cox Fork
Gandeeville WV 25243-8750
- Appointment Date: 11/23/2020
Estate Name: Roger H Flesher
Executrix: Christina Michelle Flesher
30 Summit Lane
Spencer WV 25276-1158
- Appointment Date: 03/05/2021
Estate Name: Charles E Greathouse
Executrix: Beverly Greathouse
278 Barrcut Road
Spencer WV 25276-7984
- Appointment Date: 03/22/2021
Estate Name: Pearl Mae Heiney
Administrator Robert L Smith II
3471 Clay Road

- Appointment Date: 03/18/2021
Estate Name: Larry Eugene Newhouse
Administrator: Arnold Newhouse
P.O. Box 83
Walton WV 25286-0083
- Appointment Date: 03/24/2021
Estate Name: John Norman Patterson
Administratrix: Connie S Patterson
3549 Parkersburg Road
Spencer WV 25270-9401
- Appointment Date: 03/01/2021
Estate Name: Janie V Reynolds
Administratrix: Jessica Miller
1718 Parkersburg Road
Spencer WV 25276-7968
- Appointment Date: 03/24/2021
Estate Name: William Robert Robinson
Executrix: Pearl Robinson
244 Chapman Ave
Spencer WV 25276-1137
- Appointment Date: 03/22/2021 Referred
Estate Name: Freda Marie Schmucker
Executrix: Paul Schmucker Jr
1608 Noble Ridge
Reedy WV 25270-9542
- Fiduciary Commissioner: Leslie Maze
P.O. Box 279
Elizabeth WV 26143-0279
- Appointment Date: 03/09/2021
Estate Name: Wanda Lee Shimp
Executrix: Joyce Brabham
1613 Middle Fork
Reedy WV 25270-9779

Subscribed and sworn to before me on 03/25/2021

2t 4/1-8/21 B

**IN THE UNITED STATES
DISTRICT COURT
FOR THE SOUTHERN
DISTRICT OF WEST
VIRGINIA**

Civil Action No.: 2:18-cv-44
Hon. Judge Thomas E. Johnston

COLUMBIA GAS TRANSMISSION, LLC
Plaintiff,
v.
466.19 ACRES OF LAND, MORE OR LESS, IN CABELL, JACKSON, MASON, PUTNAM, ROANE AND WIRT COUNTIES,

WEST VIRGINIA; MARY LOU HARSHBARGER et al., Defendants.
NOTICE OF CONDEMNATION FOR PUBLICATION IN ROANE COUNTY, WV
NAMES OF PARTIES WHO HAVE OR MAY CLAIM AN INTEREST IN THE PROPERTIES, BUT WHOSE IDENTITY AND/OR PLACE OF RESIDENCE IS UNKNOWN:
Misao Carroll
Mark Stephen Carroll
YOU ARE HEREBY NOTIFIED THAT, on January 12, 2018, a Complaint for Condemnation ("Complaint"), styled *Columbia Gas Transmission, LLC v. 466.19 Acres of Land, More or Less, in Cabell, Jackson, Mason, Putnam, Roane and Wirt Counties, West Virginia; Mary Lou Harshbarger, et al.*, was filed by Columbia Gas Transmission, LLC ("Columbia"), in the United States District Court for the Southern District of West Virginia, for the taking of rights-of-way (permanent easements) along with certain temporary construction easements and/or temporary and/or permanent access easements, for the purpose of laying, constructing, inspecting, maintaining, operating, repairing, replacing, altering, changing the size of, upgrading, reconstructing, and removing or abandoning in place one pipeline for the transportation of natural gas, and its constituents, together with the right to construct, maintain, inspect, operate, replace, relay and/or remove all roadways, fittings, launchers, receivers, cathodic protection equipment, regulating, measuring, heating and other related equipment, pipeline markers, overhead or underground electric and telecommunication lines, and all other above and below ground equipment and appurtenances thereto upon, under

or across a strip of land of variable width located on the following-described properties:

Tract No. 103 (WV-RO-0194.000) / Parcel ID No.: 04-14-0007
0.85 ACRES ± PERMANENT EASEMENT, 1.16 ACRES ± TEMPORARY WORKSPACE, 0.31 ACRES ± ADDITIONAL TEMPORARY WORKSPACE, OF LAND IN ROANE COUNTY, WEST VIRGINIA

The authority for this taking is a law of the United States found at 15 U.S.C. § 717 et. seq., commonly known as the Natural Gas Act, which at § 717(h) authorizes the taking of property to construct, operate, and maintain a natural gas pipeline after having received a certificate of public convenience and necessity from the Federal Energy Regulatory Commission ("FERC"). Columbia obtained such a certificate from FERC on December 29, 2017.

If you have any objection or defense to the taking of these properties in which you may have or claim some interest, you must serve your answer upon Columbia's undersigned attorneys, c/o Lori Dawkins, Steptoe & Johnson PLLC, P.O. Box 1588, Charleston, WV 25326-1588, within twenty-one (21) days after service of this notice by publication is complete. Your answer shall: 1) identify the property or properties in which you claim an interest; 2) state the nature and extent of the interest(s) you claim; and 3) state all of your objections and defenses to the taking.

THE FAILURE TO SERVE AN ANSWER AS SET FORTH ABOVE SHALL CONSTITUTE CONSENT TO THE TAKING AND TO THE COURT'S AUTHORITY TO PROCEED WITH THE ACTION AND TO FIX JUST COMPENSATION, AS WELL AS A WAIVER OF ALL DEFENSES AND

LEGAL ADVERTISEMENT LEGAL ADVERTISEMENT LEGAL ADVERTISEMENT LEGAL ADVERTISEMENT LEGAL ADVERTISEMENT LEGAL ADVERTISEMENT

OBJECTIONS NOT SO PRESENTED.

If you have no objection or defense to the taking, you may serve upon the Columbia's attorney a notice of appearance designating the property or properties in which you claim an interest, and thereafter you shall receive notice of all proceedings affecting your interest(s).

At the hearing or trial on the issue of just compensation, whether or not you have answered or served a notice of appearance, you may present evidence regarding the amount of compensation to be paid for the property or properties in which you have any interest, and you may, subject to the proofs that you submit, share in the distribution of the award of compensation.

Respectfully submitted by counsel for Columbia Gas Transmission, LLC: Lori A. Dawkins (WV Bar No. 6880), lori.dawkins@steptoe-johnson.com,

William O'Brien (WV Bar No. 10549), william.obrien@steptoe-johnson.com, and John Pizzo (WV Bar No. 12680), john.pizzo@steptoe-johnson.com, of Steptoe & Johnson PLLC, 400 White Oaks Boulevard, Bridgeport, WV 26330, (304) 933-8000; and John Haug (pro hac vice), john.haug@dentons.com, David Fedder (pro hac vice), david.fedder@dentons.com, and Sarah Carlson (pro hac vice), sarah.carlson@dentons.com, of Dentons US LLP, 211 N. Broadway Suite 3000, St. Louis, MO 63102, (314) 259-1800. 3t 3/25-4/8/21 RCR

CLOVER VOLUNTEER FIRE DEPARTMENT REQUEST FOR BIDS

The Clover Volunteer Fire Department and Roane County Commission is seeking competitive bids for a communications tower including site prep,

foundation, tower, fencing, grounding and other equipment installation as outlined in specifications. Sealed bids must be clearly marked as "Clover VFD Tower" and must be received by April 23, 2021 at 11:00 am when all bids will be publically opened and read at the Roane County Commission meeting. Mail Bids to Roane County Commission 200 Main Street, Spencer, WV 25276. Detailed specifications for the project are available online at roanewv.com or at the Clover VFD. Contractors must be licensed, insured and able to perform work in West Virginia. The Clover VFD reserves the right to reject any and all bids and to waive any informality therein. All bids must be valid for a period of 120 days from the date of opening. 2t 4/1-8/21 B

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Chlorine/Chloramines Maximum Disinfection Level	MPA	MPA Units	RAA	RAA Units
08/01/2020 - 08/31/2020	3.3	MG/L	3.1	MG/L

Total Organic Carbon Lowest Month for Removal	Collection Date	Highest Value	Range	Unit	TT	Typical Source
CARBON, TOTAL	9/8/2020	4.3	1.5 - 4.3	MG/L	0	Naturally present in the environment

Radiological Contaminants	Collection Date	Highest Value	Range (low/high)	Unit	MCL	MCLG	Typical Source
GROSS ALPHA, EXCL. RADON & U	3/12/2019	0.832	0.832	pCi/L	15	0	Erosion of natural deposits
Radium-228	3/12/2019	-0.0155	-0.0155	pCi/L	5	0	Erosion of natural deposits

Secondary Contaminants-Non Health Based Contaminants-No Federal Maximum Contaminant Level (MCL) Established.	Collection Date	Highest Value	Range (low/high)	Unit	SMCL
CARBON, TOTAL	9/8/2020	4.3	1.5 - 4.3	ppm	10000
SODIUM	2/11/2020	9.05	9.05	MG/L	1000
SULFATE	2/11/2020	7.3	7.3	MG/L	250

During the 2020 calendar year, we had the below noted violation(s) of drinking water regulations.

Compliance Period	Analyte	Comments
7/1/2020 - 9/30/2020	TOTAL HALOACETIC ACIDS (HAA5)	MCL, LRAA
11/26/2020	PUBLIC NOTICE	PUBLIC NOTICE RULE LINKED TO VIOLATION

Additional Required Health Effects Language:

Some people who drink water containing haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.

Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

There are no additional required health effects notices.

There are no additional required health effects notices.

This Consumer Confidence Report is not being mailed to each customer. A copy can be provided upon request by calling our office at 304-577-6914.

It 4/8/21 RCR

WALTON PSD WV3304407 Consumer Confidence Report - 2021 Covering Calendar Year - 2020

This brochure is a snapshot of the quality of the water that we provided last year. Included are the details about where your water comes from, what it contains, and how it compares to Environmental Protection Agency (EPA) and state standards. We are committed to providing you with information because informed customers are our best allies. If you would like to observe the decision-making process that affect drinking water quality, please call LLOYD NAYLOR at 304-577-6914.

Your water comes from :

Source Name	Source Water Type
INTAKE - SILCOTT FORK	Surface Water

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as those with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) included rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in sources water before we treat it include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, livestock operations and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.

Pesticides and herbicides, which may come from a variety of sources such as storm water run-off, agriculture, and residential users.

Radioactive contaminants, which can be naturally occurring or the result of mining activity.

Organic contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and also come from gas stations, urban storm water run-off, and septic systems. In order to ensure that tap water is safe to drink, EPA prescribes regulation which limits the amount of certain contaminants in water provided by public water systems. We treat our water according to EPA's regulations. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Our water system has an estimated population of 2012 and is required to test a minimum of 2 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. Coliform bacteria are usually harmless, but their presence in water can be an indication of disease-causing bacteria. When coliform bacteria are found, special follow-up tests are done to determine if harmful bacteria are present in the water supply. If this limit is exceeded, the water supplier must notify the public.

Water Quality Data

The following tables list all of the drinking water contaminants which were detected during the 2020 calendar year. The presence of these contaminants does not necessarily indicate the water poses a health risk. Unless noted, the data presented in this table is from the testing done January 1- December 31, 2020. The state requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old.

Terms & Abbreviations

Maximum Contaminant Level Goal (MCLG): the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL): the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Secondary Maximum Contaminant Level (SMCL): recommended level for a contaminant that is not regulated and has no MCL.

Action Level (AL): the concentration of a contaminant that, if exceeded, triggers treatment or other requirements.

Treatment Technique (TT): a required process intended to reduce levels of a contaminant in drinking water.

Maximum Residual Disinfectant Level (MRDL): the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Non-Detects (ND): lab analysis indicates that the contaminant is not present.

Parts per Million (ppm) or milligrams per liter (mg/l)

Parts per Billion (ppb) or micrograms per liter (µg/l)

Picocuries per Liter (pCi/L): a measure of the radioactivity in water.

Millirems per Year (mrem/yr): measure of radiation absorbed by the body.

Monitoring Period Average (MPA): An average of sample results obtained during a defined time frame, common examples of monitoring periods are monthly, quarterly and yearly.

Nephelometric Turbidity Unit (NTU): a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person. Turbidity is not regulated for groundwater systems.

Running Annual Average (RAA): an average of sample results obtained over the most current 12 months and used to determine compliance with MCLs.

Locational Running Annual Average (LRAA): Average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.

Testing Results for: WALTON PSD

The following are results of parameters tested with detections from 2020 samples or from our most recent sampling period since some parameters are on a frequency less than every year by rule:

Microbiological	Result	MCL	MCLG	Typical Source
No Detected Results were Found in the Calendar Year of 2020				

Regulated Contaminants	Collection Date	Highest Value	Range (low/high)	Unit	MCL	MCLG	Typical Source
BARIUM	2/11/2020	0.0265	0.0265	ppm	2	2	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
CHROMIUM	2/11/2020	1.1	1.1	ppb	100	100	Discharge from steel and pulp mills; Erosion of natural deposits
NITRATE	2/11/2020	0.71	0.71	ppm	10	10	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits

Disinfection Byproducts	Sample Point	Monitoring Period	Highest LRAA	Range (low/high)	Unit	MCL	MCLG	Typical Source
TOTAL HALOACETIC ACIDS (HAA5)	AMBLER RIDGE HYDRANT	2020	68	3.8 - 153	ppb	60	0	By-product of drinking water disinfection
TTHM	WELLFORD MBOX (RT. 119)	2020	58	16.6 - 109	ppb	80	0	By-product of drinking water chlorination

Lead and Copper	Monitoring Period	90 th Percentile	Range (low/high)	Unit	AL	Sites Over AL	Typical Source
COPPER, FREE	2018 - 2020	0.238	0.0027 - 0.245	ppm	1.3	0	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
LEAD	2018 - 2020	1.8	0 - 2.6	ppb	15	0	Corrosion of household plumbing systems; Erosion of natural deposits

Email legal ads to:
legals@thetimesrecord.net

216 Market Street - Spencer | firstneighborhoodbank.com

Make yourself at home.
Let Robin handle your loan.
304-927-1750

FNB First Neighborhood Bank

*All loans are subject to credit and underwriting approval. Certain fees and restrictions may apply or other terms and conditions may apply. NMLS# 1307229

MAIN STREET AUTOMOTIVE
284 E Main St., Spencer
304-927-2876
M-F 8 a.m.-5 p.m., Sat. 8 a.m.-noon, closed Sun.

QUALITY SERVICE AT A GREAT PRICE

- Brakes
- Oil Change
- Exhaust
- Tune-Ups
- Suspension
- Tires
- Ignition
- Electrical
- WV State Inspections
- Alignments at low prices

WE OFFER FINANCING WITH AUTO PASS

AC SERVICE \$89.99

PLEASE BRING COUPON TO RECEIVE OFFER.

Teeth need spring cleaning too!

Brannon Dental Associates, PLLC
350 Hospital Drive, Spencer, W.Va. • 304-927-2775

Dr. Eric R. Brannon DDS, FAGD
Dr. Regina J. Brannon DDS, FAGD
Dr. Randall S. Brannon DDS, FAGD